

**TEM DUST ANALYSIS****M40543 020****Dies and Hile, LLP**  
**Settled Dust Samples**

Client Sample ID: SSB 2

Sample Area/ Volume: 100 cm2

Filter Type: MCE 47mm

Pore size: 0.45

Effective Filter Area: 1297

Sample type: Dust

Analysis type: Dust

Grid Acceptance YES 2 %

Date Analyzed: 10/6/2006

Analyst: MAM

Scope Number: 4

Accelerating Voltage: 100 KV

Indicated Mag: 25 KX

Screen Mag: 20 KX

Grid\_box: 7184, 7169, 7181, 7185

Str < 5um: 102  
Str ≥ 5um: 45  
Total Str: 147Number of grids: 2 #1: 103 #3: 103  
Number of openings: 4 #2: 100 #4: 102Average Grid Size: 0.010403  
Total Area Analyzed: 0.042

Volume Filtered 0.1 ml

Dilution Factor 1000

Str / sqr ft 4.257E+10

Str / cm2 4.582E+07

Str / sqr ft ≥ 5 1.303E+10

Str / cm2 ≥ 5 1.403E+07

Str#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
1	E6-F3	C	C-B	24.00	0.30	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2		C	F	9.00	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3		C	M-F	0.60	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4		C	M-F	4.30	0.05	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5		C	F	8.00	0.05	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6		C	M-F	10.00	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7		C	B	5.00	0.30	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8		C	F	1.00	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9		C	M-F	4.50	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10		C	F	1.00	0.05	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11		C	F	8.00	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12		C	F	4.60	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13		C	B	2.50	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C - Chrysotile      NSD - No Structure Detected  
 TR - Tremolite      F - Fiber  
 CR - Crocidolite    B - Bundle  
 AN - Anthophyllite   M - Matrix  
 AC - Actinolite      C - Cluster

Str#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
14		C	M-F	2.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15		C	M-B	2.00	0.30	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16		C	F	1.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
17		C	F	1.70	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18		C	C-F	10.00	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19		C	F	2.30	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20		C	M-F	8.00	0.20	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21		C	F	1.00	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22		C	C-B	8.00	0.30	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23		C	F	8.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24		C	F	1.30	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
25		C	F	1.50	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
26		C	B	2.50	0.30	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
27		C	M-F	4.30	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
28		C	M-F	2.30	0.50	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
29		C	M-F	3.60	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
30		C	M-F	0.90	0.05	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
31		C	M-F	1.50	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
32		C	F	6.70	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
33	D5	C	F	1.20	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
34		C	F	5.40	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
35		C	M-F	8.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C - Chrysotile  
 TR - Tremolite  
 CR - Crocidolite  
 AN - Anthophyllite  
 AC - Actinolite

NSD - No Structure Detected  
 F - Fiber  
 B - Bundle  
 M - Matrix  
 C - Cluster

Str#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
36		C	F	13.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
37		C	F	2.00	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
38		C	M-F	12.40	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
39		C	M-F	1.80	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
40		C	F	4.00	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
41		C	B	3.50	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42		C	F	5.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
43		C	F	0.90	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
44		C	F	2.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
45		C	M-F	1.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
46		C	M-B	2.00	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
47		C	F	1.00	0.50	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48		C	M-F	1.20	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
49		C	F	0.90	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
50		C	M-F	8.00	0.20	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
51		C	C-B	6.00	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
52		C	F	2.00	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
53		C	F	12.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54		C	F	6.00	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
55		C	M-F	8.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
56		C	M-F	12.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
57		C	C-F	12.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C - Chrysotile      NSD - No Structure Detected  
 TR - Tremolite      F - Fiber  
 CR - Crocidolite    B - Bundle  
 AN - Anthophyllite   M - Matrix  
 AC - Actinolite      C - Cluster



Str#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
58		C	F	1.30	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
59		C	F	0.60	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60		C	F	10.00	0.05	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
61		C	B	2.50	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
62		C	B	2.30	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
63		C	M-F	1.30	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
64		C	F	2.50	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
65		C	M-F	5.60	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
66		C	M-F	3.00	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
67		C	F	1.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
68	D6-B5	C	M-F	3.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
69		C	F	3.60	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
70		C	F	1.60	0.05	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
71		C	M-F	1.70	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
72		C	C-F	6.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
73		C	F	2.30	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
74		C	F	10.00		X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
75		C	B	2.00	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
76		C	C-B	6.00	0.40	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
77		C	M-F	2.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
78		C	M-F	6.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
79		C	M-F	1.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C - Chrysotile      NSD - No Structure Detected  
 TR - Tremolite      F - Fiber  
 CR - Crocidolite    B - Bundle  
 AN - Anthophyllite   M - Matrix  
 AC - Actinolite      C - Cluster

Str#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
80		C	F	7.00	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
81		C	F	18.40	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
82		C	F	5.60	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
83		C	M-F	1.30	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
84		C	M-F	1.40	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
85		C	F	3.00	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
86		C	F	1.00	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
87		C	F	5.80	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
88		C	M-F	1.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
89		C	F	1.30	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
90		C	F	0.90	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
91		C	F	0.90	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
92		C	M-F	2.40	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
93		C	F	4.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
94		C	M-F	0.90	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
95		C	F	2.50	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
96		C	F	0.90	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
97		C	F	3.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
98		C	M-F	0.90	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
99		C	M-F	8.00	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
100		C	F	6.00	0.05	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
101		C	F	1.30	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C - Chrysotile      NSD - No Structure Detected  
 TR - Tremolite      F - Fiber  
 CR - Crocidolite      B - Bundle  
 AN - Anthophyllite      M - Matrix  
 AC - Actinolite      C - Cluster

Str#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
102		C	M-F	2.30	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
103		C	F	4.30	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
104		C	F	3.50	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
105		C	F	1.20	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106	G8	C	C-F	13.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
107		C	B	16.00	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
108		C	F	3.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
109		C	F	1.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
110		C	F	1.80	0.05	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
111		C	C-F	3.80	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
112		C	F	11.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
113		C	F	1.80	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
114		C	F	0.90	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
115		C	B	21.00	0.70	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
116		C	C-F	3.80	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
117		C	B	3.00	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118		C	F	3.50	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
119		C	F	3.20	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
120		C	F	2.60	0.50	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
121		C	F	2.40	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
122		C	F	6.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
123		C	F	2.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


C - Chrysotile      NSD - No Structure Detected  
 TR - Tremolite      F - Fiber  
 CR - Crocidolite      B - Bundle  
 AN - Anthophyllite      M - Matrix  
 AC - Actinolite      C - Cluster


Sir#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
124		C	F	2.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
125		C	B	2.00	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
126		C	B	4.00	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
127		C	F	3.70	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
128		C	F	2.40	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
129		C	F	24.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
130		C	F	0.60	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
131		C	F	3.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
132		C	F	1.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
133		C	B	2.20	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
134		C	M-F	0.90	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
135		C	F	3.40	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
136		C	M-F	1.80	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
137		C	F	7.30	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
138		C	F	5.60	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
139		C	F	1.70	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
140		C	F	7.00	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
141		C	F	6.00	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
142		C	F	2.30	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
143		C	F	2.20	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
144		C	M-F	2.60	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
145		C	B	2.50	0.20	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


C - Chrysotile      NSD - No Structure Detected  
 TR - Tremolite      F - Fiber  
 CR - Crocidolite      B - Bundle  
 AN - Anthophyllite      M - Matrix  
 AC - Actinolite      C - Cluster

Str#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
146		C	F	2.20	0.05	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
147		C	F	1.60	0.10	X		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
										M40543 020


C - Chrysotile      NSD - No Structure Detected  
TR - Tremolite      F - Fiber  
CR - Crocidolite      B - Bundle  
AN - Anthophyllite      M - Matrix  
AC - Actinolite      C - Cluster








































































**TEM DUST ANALYSIS M40543 021****Dies and Hile, LLP**  
**Settled Dust Samples**

Client Sample ID: SSB 3

Sample Area/ Volume: 100 cm<sup>2</sup>

Filter Type: MCE 47mm

Pore size: 0.45

Effective Filter Area: 1297

Sample type: Dust

Analysis type: Dust

Grid Acceptance Yes 3%

Date Analyzed: 10/8/2006

Analyst: Kevin Simpson

Scope Number: 3

Accelerating Voltage: 100 KV

Indicated Mag: 25 KX

Screen Mag: 20 KX

Grid\_box: 7184, 7169, 7181, 7185

Str < 5um: 69  
Str ≥ 5um: 15  
Total Str: 84

Number of grids: 2 #1: 105 #3: 14

Number of openings: 10 #2: 103 #4: 106

Average Grid Size: 0.006150

Total Area Analyzed: 0.061

Volume Filtered 1 ml

Dilution Factor 100

Str / sq ft 1.646E+09

Str / cm<sup>2</sup> 1.772E+06

Str / sq ft ≥ 5 2.939E+08

Str / cm<sup>2</sup> ≥ 5 3.164E+05

Str#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
1	A7-G3	C	C-F	12.00	0.60	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2		C	B	0.60	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3		C	F	1.00	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4		C	M-F	2.00	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5		C	M-F	1.20	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6		C	F	3.00	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7		C	F	4.50	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	H4	C	B	1.50	0.20	X	M36309	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9		C	M-B	2.00	0.20	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10		C	F	0.90	0.05	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11		C	F	4.50	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12		C	F	1.20	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13		C	B	0.80	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C - Chrysotile

NSD - No Structure Detected

TR - Tremolite

F - Fiber

CR - Crocidolite

B - Bundle

AN - Anthophyllite

M - Matrix

AC - Actinolite

C - Cluster

Str#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
14		C	F	8.50	0.10				<input type="checkbox"/>	<input type="checkbox"/>
15		C	F	4.30	0.05				<input type="checkbox"/>	<input type="checkbox"/>
16	H5	C	F	10.00	0.10				<input type="checkbox"/>	<input type="checkbox"/>
17		C	C-F	14.00	0.60				<input type="checkbox"/>	<input type="checkbox"/>
18		C	F	20.00	0.10				<input type="checkbox"/>	<input type="checkbox"/>
19		C	F	2.60	0.10				<input type="checkbox"/>	<input type="checkbox"/>
20		C	F	1.00	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21		C	F	0.60	0.10				<input type="checkbox"/>	<input type="checkbox"/>
22		C	F	2.80	0.10				<input type="checkbox"/>	<input type="checkbox"/>
23	G1	C	F	1.00	0.10				<input type="checkbox"/>	<input type="checkbox"/>
24		C	B	1.50	0.20				<input type="checkbox"/>	<input type="checkbox"/>
25		C	F	4.00	0.10				<input type="checkbox"/>	<input type="checkbox"/>
26		C	F	1.70	0.10				<input type="checkbox"/>	<input type="checkbox"/>
27		C	B	1.00	0.20				<input type="checkbox"/>	<input type="checkbox"/>
28		C	F	1.40	0.10				<input type="checkbox"/>	<input type="checkbox"/>
29		C	F	1.60	0.10				<input type="checkbox"/>	<input type="checkbox"/>
30	G2	C	F	3.40	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
31		C	F	2.30	0.10				<input type="checkbox"/>	<input type="checkbox"/>
32		C	F	22.00	0.10				<input type="checkbox"/>	<input type="checkbox"/>
33		C	F	2.20	0.05				<input type="checkbox"/>	<input type="checkbox"/>
34		C	C-F	4.00	0.10				<input type="checkbox"/>	<input type="checkbox"/>
35	B6-H9	C	C-F	4.00	3.00				<input type="checkbox"/>	<input type="checkbox"/>

C - Chrysotile      NSD - No Structure Detected  
 TR - Tremolite      F - Fiber  
 CR - Crocidolite    B - Bundle  
 AN - Anthophyllite   M - Matrix  
 AC - Actinolite      C - Cluster

Sir#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
36		C	F	6.00	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
37		C	C-F	15.00	2.00			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
38		C	B	1.30	0.20			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
39		C	F	0.90	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
40		C	C-F	3.00	2.00	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
41		C	C-F	2.00	1.50			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42		C	F	0.60	0.05			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
43		C	F	4.60	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
44	H7	C	F	2.00	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
45		C	B	10.00	0.20			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
46		C	F	0.50	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
47		C	C-F	10.00	1.00			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
48		C	F	7.60	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
49		C	F	0.80	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
50		C	B	2.30	0.20	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
51		C	B	1.30	0.12			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
52		C	F	0.60	0.05			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
53	H5		F	0.70	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
54		C	F	0.80	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
55		C	B	1.00	0.30			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
56		C	M-F	1.00	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
57		C	B	2.60	0.22			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C - Chrysotile      NSD - No Structure Detected  
 TR - Tremolite      F - Fiber  
 CR - Crocidolite      B - Bundle  
 AN - Anthophyllite      M - Matrix  
 AC - Actinolite      C - Cluster

Str#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
58		C	F	3.00	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
59		C	F	4.00	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
60		C	F	0.50	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
61		C	F	0.60	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
62	H3	C	B	8.00	0.30			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
63		C	C-F	4.00	1.00			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
64		C	F	5.00	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
65		C	F	0.80	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
66		C	F	3.20	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
67		C	F	8.00	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
68		C	F	0.90	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
69		C	F	2.30	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
70		C	F	1.20	0.05	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
71		C	F	1.00	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
72		C	B	4.20	0.22			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
73		C	F	3.00	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
74		C	B	0.90	0.13			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
75	G2	C	F	2.30	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
76		C	F	1.00	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
77		C	F	4.80	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
78		C	F	3.20	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
79		C	F	8.50	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C - Chrysotile      NSD - No Structure Detected  
 TR - Tremolite      F - Fiber  
 CR - Crocidolite    B - Bundle  
 AN - Anthophyllite   M - Matrix  
 AC - Actinolite      C - Cluster



Str#:	SquareID:	Type:	Structure:	Length	Width	Morph:	SAED:	EDS:	Photo:	Sketch:
80		C	F	0.60	0.10	X	X	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
81		C	F	1.10	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
82		C	F	0.80	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
83		C	F	0.50	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
84		C	F	2.00	0.10			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
								<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
									M40543	021

C - Chrysotile      NSD - No Structure Detected  
 TR - Tremolite      F - Fiber  
 CR - Crocidolite      B - Bundle  
 AN - Anthophyllite      M - Matrix  
 AC - Actinolite      C - Cluster

